



Republic of the Philippines
Department of Agriculture

BUREAU OF AGRICULTURAL AND FISHERIES ENGINEERING

Diliman, Quezon City

Tel. No. (02) 294-6452 Fax No. (02) 941-8151

Email Add: oed.bafe@gmail.com

BIDS AND AWARDS COMMITTEE

Supplemental Bid Bulletin No. 1


SUBJECT : IB NO. 007-20 (SUPPLY, DELIVERY AND INSTALLATION OF VARIOUS MEDICAL, HEALTH AND SAFETY SUPPLIES)

DATE : 03 DECEMBER 2020

- i. As per result of the pre-bid conference during the 12th BAC Meeting for FY 2020 held last December 1, 2020, the following suggestions and recommendations were raised for the issuance of Bid Bulletin.

LOT	ITEM	GENERAL DESCRIPTION	TECHNICAL SPECIFICATIONS	
			FROM	TO
3	12	Paper Towel	• 2-ply paper towel	• Interfold
1	26	Stretcher	• It is foldable and very portable	• Must be portable

GENERAL DESCRIPTION	QUANTITY		TOTAL COST	
	FROM	TO	FROM	TO
Thermometer (Non-contact Infrared Thermometer)	6	5	29,700.00	25,200.00
		1		4,500.00






ENGR. NOEMIL L. CARPIO
BAC Chairperson



A food-secure Philippines

with prosperous farmers and fisherfolk



Disinfection and Cleaning Supplies

GENERAL DESCRIPTION	UNIT COST	SPECIFICATIONS	SAMPLE IMAGE
70% Isopropyl alcohol (1 gal)	650.00	<ul style="list-style-type: none"> *at least 70% isopropyl alcohol *approximately 1 gallon volume 	
Disinfectant (1L)	188.00	<ul style="list-style-type: none"> *multi-purpose cleaner liquid *with antibacterial properties *approximately 1 Liter volume 	
Liquid soap	392.00	<ul style="list-style-type: none"> *liquid hand soap *at least 1 gallon volume *dermatologically tested 	
Liquid soap dispenser	2,545.00	<ul style="list-style-type: none"> *touchless bathroom liquid dispenser *capacity: at least 1 Liter *wall-mounted *with automatic infrared sensor *hands free when using *suitable for disinfectant solutions, liquid soaps, or hydroalcoholic gel *with content level indicator in front *distance detector up to 15 cm *with refillable PP tank *with two power supply mode: battery-operated and direct charging (with compatible batteries and cord) 	

Rag	112.00	<ul style="list-style-type: none"> *material: cotton *at least 7" diameter *at least 32 pieces per bundle *assorted colors 	
UV light sterilizer	2,200.00	<ul style="list-style-type: none"> *at least 35 W wattage *110-220 V, 60 Hz *at most 40°C working temperature *applicable within 40 square meters area *at least 250 nm UV wavelength *with remote controller and timer *made of ABS plastic 	







Prepared by:







Approved by:







D. Fulgar
ENGR. DEXTER E. FULGAR
 Procurement Coordinator, PPMD





Arnel L. Tenorio
ENGR. ARNEL L. TENORIO
 Engineer IV, PPMD

Medical Supplies

GENERAL DESCRIPTION	UNIT COST	SPECIFICATIONS	SAMPLE IMAGE
Absorbent cotton	185.00	<ul style="list-style-type: none"> *highly absorbent *100% cotton *at least 350 g/pack 	
Adhesive Bandage	55.00	<ul style="list-style-type: none"> *must be sterilized *must have strong adhesion *must be waterproof *must have non-stick medicated patch *25 strips per box 	
Adhesive tape	205.00	<ul style="list-style-type: none"> *at least 12 rolls per box *1" width and at least 10 yards/roll *with hypoallergenic feature *with gentle adhesion *at least conformable and highly breathable 	
Bandage scissors	112.00	<ul style="list-style-type: none"> *at least 3.5" *stainless steel 	
Blood pressure monitor	4,088.00	<ul style="list-style-type: none"> *with cuff wrapping guide *with body movement detection *with blood pressure level indicator *with irregular heartbeat detection *can store 60 measurements in memory *can display average for last 3 readings within 10 minutes *with up-to-date technology in monitoring blood pressure 	
Cabinet for medicine and supplies	236.00	<ul style="list-style-type: none"> *white color *at most 30 cm height *at most 30 cm width *at least 10 cm thickness *made of plastic material 	

First aid kit	392.00	<ul style="list-style-type: none"> *with first aid guide and quick reference *with surgical tape *with flash light *with wash proof plaster strips *with elastic bandage *with gauze pad, 2" x 2" *with povidone iodine 30 mL *with isopropyl alcohol *with cotton pads *with spirit of ammonia 15 mL *with vapor rub 10g *with first aid kit pouch 	
Gauze	40.00	<ul style="list-style-type: none"> *at least 4"x8" per ply *at least 8 ply per pad *sterile and individually packed *at least 5 pieces per box 	
Gauze bandage	25.00	<ul style="list-style-type: none"> *4" width and at least 10 yards length *at least 20 x 24 mesh *soft, comfortable, and sterile 	
Hot water bag	84.00	<ul style="list-style-type: none"> *reusable and compatible for hot application *flexible for use 	
Ice bag	90.00	<ul style="list-style-type: none"> *reusable and compatible for cold application *flexible for use 	
Rubber tourniquet	34.00	<ul style="list-style-type: none"> *latex tourniquets *with smooth finish, strong, and superior elasticity *at least 1 x 17.5" size 	

Safety pins	34.00	<ul style="list-style-type: none"> *material: stainless *at least 10 pcs. per packaging 	
Small towel	17.00	<ul style="list-style-type: none"> *made of microfiber material *at least 50 cm x 30 cm size *color: white 	
Stethoscope	784.00	<ul style="list-style-type: none"> *dual-head stethoscope *with raised stem *with soft ear tips *with chestpiece rime *chill-free 	 <p style="text-align: center;">SAMPLE IMAGE</p> 
Thermometer (Non-Contact Infrared Forehead)	5,040.00	<ul style="list-style-type: none"> *can measure temperature without skin contact (forehead) *at least 2 to 3 cm measuring distance *range of measurement from 0 ° C-60 ° C *resolution of 0.1 ° C *accuracy of ± 0.2 ° C *reaction time of 0.5 sec *can display temperature measurement in °C and °F *with LED backlight display *with auto power off *with on/off sound function *with memory mode *battery operated 	
Thermometer (Digital)	336.00	<ul style="list-style-type: none"> *compatible for oral and underarm temperature measurement *measurement range: 32 to 42 deg. C (89.6 to 107.6 deg. F) *measurement accuracy: ±0.1 degree Celsius (32.0 to 42.0 degree Celsius) *with auto-off function *battery operated *with 2 sets of compatible batteries *with battery symbol display *with last reading recall 	<p style="text-align: center;">SAMPLE IMAGE</p> 

		function *can measure in degree Celsius and degree Fahrenheit *with protective case, test battery, probe covers *must include instruction sheet	
Tongue depressor	140.00	*at least 6" length *non-sterile *economical grade *at least 100 pcs. per box	
Triangular bandage	1,232.00	*made of muslin cloth *with two safety pins *at least 3" x 2" x 0.5" when packaged *at least 35" x 35" x 50" when opened *at least 1.5 oz.	
Waste Pail	583.00	*stainless steel and food-grade pail *at least 20 cm height *at most 25 cm width *at most 30 cm diameter *at most 4 mm thickness	
Weighing scale	2,184.00	*analog weighing scale *at least 100 kg. capacity *at least 30 cm length *at least 25 cm width *at least 10 cm thickness *at most 12 kg. weight	




Prepared by:





deulgar
ENGR. DEXTER E. FULGAR
 Procurement Coordinator, PPMD


Approved by:

[Signature]
ENGR. ARNEL L. TENORIO
 Engineer IV, PPMD

Emergency Supplies

GENERAL DESCRIPTION	UNIT COST	SPECIFICATIONS	SAMPLE IMAGE
Emergency exit signs	3,920.00	<ul style="list-style-type: none"> *LED acrylic exit sign (recessed) *acrylic and transparent sign material *single face *with recessed type installation *with overcharging protection system *with low energy consumption *with metal fire-retardant casing *shall include free labor and materials needed for the installation 	
Emergency light	1,770.00	<ul style="list-style-type: none"> *automatic emergency lights *at least 2 x 5 watts *with 2 fully adjustable glare-free round shape light heads *automatic on/off *AC 220V *with injection molded thermoplastic ABS Housing or any better material *with rechargeable Nickel-Cadmium battery *with over charge and over-discharge protection *with high brightness LED surface mounted diode *with IP 40 ingress protection rating *shall include free labor and materials needed for the installation 	
Fire extinguishers (Dry Chemical)	1,456.00	<ul style="list-style-type: none"> *Dry chemical (Mono-Ammonium Phosphate) *For ABC class of fire *stored pressure type *capacity in terms of mass of extinguishing medium: 4.5 kg (10 lbs.) *purity of chemical: 75% (min.) *duration of discharge: 10 seconds (min.) *with pressure gauge control *non-electrical conductor, non-toxic, non-corrosive *labelling/markings: shall follow PNS 15 Part 1 of 1989 *warranty: three (3) years standard *shelf life: at least 5 years 	

		*shall include free labor and materials needed for the installation	
Fire extinguishers (HCFC-123)	5,600.00	<ul style="list-style-type: none"> *Pure HCFC 123 (Dichlorotrifluoroethane) *capacity (mass of extinguishing medium): 10 lbs. *purity of Chemical: minimum of 99% *for Class A.B.C. fires *stored Pressure type *duration of discharge: minimum of 10 seconds *with pressure gauge control *shall be non-electrical conductor, non-toxic, and non-corrosive *shall conform to Consumer Act of the Philippines (RA 7394) *warranty: at least 5 years *shall include free labor and materials needed for the installation *shelf life: at least 5 years 	
Flashlight	320.00	<ul style="list-style-type: none"> *with at least 4V, 400mAh lead acid rechargeable battery *at most 240 V AC power source *at least 1 watt, Hi-power LED torch 	
Hard hat	588.00	<ul style="list-style-type: none"> *green color *protection from blows from both top and sides of the head *proof tested to at least 2000 V *at most 0.45 kg weight *with chin strap *ratchet type *material: polypropylene or any better material 	
Wet floor hazard sign	280.00	<ul style="list-style-type: none"> *yellow in color *with mark that indicate physical hazard and "Caution Wet Floor" *must be written in the English language *at least made of polypropylene (PP) plastic *folding type *at least 600 mm height *at least 230 mm width 	

Whistle (All-weather)	1,008.00	<ul style="list-style-type: none"> *hard plastic material *with lanyard or cord or lace *can be heard up to 2 km. on land, and up to 50 ft. underwater *can produce sound up to 125 dB *material: non-corroding thermoplastic protective housing 	
-----------------------	----------	---	--

Prepared by:

defulgars
ENGR. DEXTER E. FULGAR
 Procurement Coordinator, PPMD

Approved by:

[Signature]
ENGR. ARNEL L. TENORIO
 Engineer IV, PPMD